

K^{STRONG}[®]

UNRIVALED SAFETY.

2024
Q1 - CATALOG



WELCOME TO UNRIVALED SAFETY

With the support of over 4000 employees worldwide and nearly 43 acres of manufacturing production under roof, KStrong is well positioned to help your company protect its most valuable assets, its employees. In addition to meeting all OSHA fall protection codes in the USA, KStrong prides itself in providing your company with Level 3 ANSI certified products, the highest level of certification available.



As one of the world's largest Full-Service providers of fall protection, we can help your company tackle and solve even the most difficult fall hazards, those where traditional fall protection solutions come up short. KStrong Services Group (KSG) offers Engineering, Training and Consulting services to help your company comply with all OSHA fall hazard requirements.

We look forward in 2024 and beyond to keeping your employees working at elevation and in confined spaces safer!

Sincerely,

A handwritten signature in black ink, reading "John H. Kemp Jr.", written in a cursive style.

John Kemp
President KStrong USA/Canada

TABLE OF CONTENTS

1. Self-Retracting Devices (SRD)	4
Micron™ Series	4
Micron™ Arc Flash Series	6
BRUTE™ Series	8
Cable	8
BRUTE-AL™ Aluminum	9
Web	10
BRUTE™ LE Leading Edge	12
BRUTE-AL™ Aluminum LE Leading Edge	13
Backer™ LE Leading Edge	14
Backer™ LE Leading Edge Web	16
Sealed Block	18
2. Body Wear - Full Body Harness Kapture™ Series	20
Essential	20
Elite	22
Epic	27
Element	27
Arc Flash	28
Welding Flame Retardant	30
Oil & Gas Derrick	31
Harness Accessories	32
Harness Feature Chart	34
Harness Sizing Chart	37
3. Shock Absorbing Lanyards (SAL)	38
Internal Design	38
Elasticated Design	39
Clear Pack Design	40
Specialty	41
LE Rated	42
Arc Flash	43
4. Work Positioning Lanyards (WPL)	44
5. Fall Protection Kits	45
6. Anchorages	46
7. Roofer Kits, Anchors, Grabs & Vertical Lifelines (VLL)	49
8. Horizontal Lifelines (HLL)	52
9. Confined Space/Rescue Retrieval	56
10. Connectors	62
11. Tool Lanyard Drop Prevention	63
12. Compass™ Mobile Asset Management	67
13. Ladder Climbing System	68
14. Bags	70
15. Quick Index	71

SELF-RETRACTING LIFELINES

KStrong is proud to offer a full range of ANSI rated Class 1 and Class 2 self-retracting devices to help workers meet nearly every user requirement covering a wide variety of applications. KStrong's Micron™ and BRUTE™ brands have become the preferred choice in construction, utilities maintenance, and general industries as they provide durable performance and reliability, supported with industry-preferred Level 3 ANSI independent 3rd-party testing documentation. KStrong continues to expand its self-retracting device offering to the market in 2024 with the introduction of Arc-Flash rated Micron™ units and additional lifeline lengths within the BRUTE™ product brand.

MICRON™ SRL SERIES



Micron™ SRL Series | Personal



SELF-RETRACTING LIFELINES



Class
1
Anchor at or
above dorsal D-ring



Class
1
Anchor at or
above dorsal D-ring




Class
1
Anchor at or
above dorsal D-ring



Class
1
Anchor at or
above dorsal D-ring



Class
1
Anchor at or
above dorsal D-ring



Closed

Open

	Model	Length	Description	Class
A	UFS350002	6 ft.	Steel Snap Hook; comes with locking carabiner UFC401101	1
B	UFS350002D	6 ft.	Twin Model - Steel Snap Hook; comes with UFC409151	1
C	UFS351102	6 ft.	Aluminum Carabiner; comes with locking carabiner UFC401101	1
D	UFS351102D	6 ft.	Twin Model - Aluminum Carabiner; comes with UFC409151	1
E	UFS354002	6 ft.	Steel Rebar Hook; comes with locking carabiner UFC401101	1
F	UFS354002D	6 ft.	Twin Model - Steel Rebar Hook; comes with UFC409151	1
G	UFS356002	6 ft.	Aluminum Rebar Hook w/ Steel ANSI Gate; comes with locking carabiner UFC401101	1
H	UFS356002D	6 ft.	Twin Model - Aluminum Rebar Hook w/ Steel ANSI Gate; comes with UFC409151	1
J	UFS359002	9 ft.	Tie-back Hook; comes with locking carabiner UFC401101	1
K	UFS359002D	9 ft.	Twin Model - Tie-back Hook; comes with UFC409151	1
L	UFC409151	Twin/Single Connector (Steel Pin)		

Note: While supplies last, Class A/B still available on some models.

SELF-RETRACTING LIFELINES

MICRON™ SRL SERIES



Micron™ Arc Flash SRL Series | Personal



UFC401101
Carabiner included
with every Micron™
single SRL.

**OSHA
RATED**

**420
LBS.**
MICRON

SELF-RETRACTING LIFELINES



B

Class
1
Anchor at or
above dorsal D-ring



D

Class
1
Anchor at or
above dorsal D-ring



F

Class
1
Anchor at or
above dorsal D-ring



G

Closed

Open

	Model	Length	Description	Class
A	UFS390006	6 ft.	Arc Flash Rated, Steel Snap Hook; comes with locking carabiner UFC401101	1
B	UFS390006D	6 ft.	Arc Flash Rated Twin Model - Steel Snap Hook; comes with UFC409151	1
C	UFS394006	6 ft.	Arc Flash Rated, Steel Rebar Hook; comes with locking carabiner UFC401101	1
D	UFS394006D	6 ft.	Arc Flash Rated Twin Model - Steel Rebar Hook; comes with UFC409151	1
E	UFS396006	6 ft.	Arc Flash Rated, Aluminum Rebar Hook w/ Steel ANSI Gate; comes with locking carabiner UFC401101	1
F	UFS396006D	6 ft.	Arc Flash Rated Twin Model - Aluminum Rebar Hook w/ Steel ANSI Gate; comes with UFC409151	1
G	UFC409151	Twin/Single Connector (Steel Pin)		


SELF-RETRACTING LIFELINES

BRUTE™ SRL Series - Wire Cable | Overhead

	Model	Length	Cable Type	Attachment End	Installation Carabiner	Class
A	UFS330008	8 ft.	Stainless Steel	Snap Hook	UFC401101	1
B	UFS310010	10 ft.	Galvanized Steel	Snap Hook	UFC401101	1
C	UFS310020	20 ft.	Galvanized Steel	Snap Hook	UFC401101	1
C	UFS310020(SS)	20 ft.	Stainless Steel	Snap Hook	UFC401101	1
D	UFS310025(SS)	25 ft.	Stainless Steel	Snap Hook	UFC401101	1
D	UFS310030	30 ft.	Galvanized Steel	Snap Hook	UFC401101	1
E	UFS310050	50 ft.	Galvanized Steel	Snap Hook	UFC401101	1
E	UFS310050(SS)	50 ft.	Stainless Steel	Snap Hook	UFC401101	1
F	UFS310090	90 ft.	Galvanized Steel	Snap Hook	UFC401101	1

Note: While supplies last, Class A/B still available on some models.

BRUTE™
SRL SERIES - WIRE CABLE



SELF-RETRACTING LIFELINES

BRUTE™ & BRUTE-AL™ SRL Series - Wire Cable | Overhead

Model	Length	Cable Type	Case	Attachment End	Installation Carabiner	Tag Line	Class
G UFS310130	30 ft.	Galvanized Steel	Polymer	Carabiner	UFC401101	Included	1
H UFS310150	50 ft.	Galvanized Steel	Polymer	Carabiner	UFC401101	Included	1
J UFS480020	20 ft.	Galvanized Steel	Aluminum	Snap Hook	UFC401101	Included	1
K UFS480030	30 ft.	Galvanized Steel	Aluminum	Snap Hook	UFC401101	Included	1
L UFS480050	50 ft.	Galvanized Steel	Aluminum	Snap Hook	UFC401101	Included	1

Note: While supplies last, Class A/B still available on some models.



UFC401101 Carabiner included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

BRUTE™
SRL SERIES - WIRE CABLE

BRUTE™
SRL SERIES
AL
ALUMINUM™

Rugged Durable Aluminum Housing



Class
1
Anchor at or above dorsal D-ring

Class
1
Anchor at or above dorsal D-ring



Class
1
Anchor at or above dorsal D-ring

Class
1
Anchor at or above dorsal D-ring

Class
1
Anchor at or above dorsal D-ring

SELF-RETRACTING LIFELINES

BRUTE™ SRL Series - Web | Overhead

	Model	Length	Cable Type	Attachment End	Installation Carabiner	Tag Line	Class
A	UFS350011	11 ft.	Webbing	Snap Hook	UFC401101		1
B	UFS350025	25 ft.	Webbing	Snap Hook	UFC401101	Included	1

Note: While supplies last, Class A/B still available on some models.

BRUTE™
SRL SERIES - WEB



Class
1
Anchor at or
above dorsal D-ring



Class
1
Anchor at or
above dorsal D-ring



UFC401101 Carabiner included
with every BRUTE™ SRL and
SRL-LE. Tag Lines also included
for all models 18 ft. and longer.

SELF-RETRACTING LIFELINES

BRUTE™ SRL Series - Web | Personal

	Model	Length	Lifeline	Attachment End	Installation Carabiner	Class
C	UFS359506S	9 ft. (6 ft. internal, 3 ft. external)	Hi-Abrasion Resistant Dyneema Web	Snap Hook	UFC409151	1
D	UFS359506	9 ft. (6 ft. internal, 3 ft. external)	Hi-Abrasion Resistant Dyneema Web	Tie-back Hook	UFC409151	1
E	UFS359506D	Twin 9 ft. (6 ft. internal, 3 ft. external)	Hi-Abrasion Resistant Dyneema Web	Tie-back Hooks	UFC409151	1
F	UFS359206	9 ft. (6 ft. internal, 3 ft. external)	Hi-Abrasion Resistant Dyneema Web	Rebar Hook	UFC409151	1
G	UFS359206D	Twin 9 ft. (6 ft. internal, 3 ft. external)	Hi-Abrasion Resistant Dyneema Web	Rebar Hooks	UFC409151	1
H	UFS359506AR	9 ft. (6 ft. internal, 3 ft. external)	Hi-Abrasion Resistant Dyneema Web	Aluminum Rebar Hook	UFC409151	1

Note: While supplies last, Class A/B still available on some models.



SELF-RETRACTING LIFELINES

BRUTE™ LE SRL Series | Leading Edge (LE) Rated



	Model	Length	Installation Carabiner	Tag Line	Class
A	UFS310018L	18 ft.	UFC401101	Included	2
B	UFS310025L	25 ft.	UFC401101	Included	2
C	UFS310050L	50 ft.	UFC401101	Included	2
D	UFS310080L	80 ft.	UFC401101	Included	2

Note: While supplies last, Class A/B still available on some models.



UFC401101 Carabiner included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

SELF-RETRACTING LIFELINES

BRUTE-AL™ LE SRL Series
Leading Edge (LE) Rated

Rugged Durable Aluminum Housing



	Model	Length	Installation Carabiner	Tag Line	Class
E	UFS480020L	20 ft. LE	UFC401101	Included	2
F	UFS480025L	25 ft. LE	UFC401101	Included	2
G	UFS480050L	50 ft. LE	UFC401101	Included	2


Note: While supplies last, Class A/B still available on some models.

A close-up of the UFC401101 Carabiner, which is a gold-colored metal carabiner with a black webbing strap attached. A coiled black tag line is also shown.


UFC401101 Carabiner included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

SELF-RETRACTING LIFELINES

BRUTE Backer™ LE SRL Series | Leading Edge (LE) Rated




SELF-RETRACTING LIFELINES




B

Class 2
Anchor above or below dorsal D-ring



D

Class 2
Anchor above or below dorsal D-ring



F

Class 2
Anchor above or below dorsal D-ring



J

Closed

Open

	Model	Length	Description	Class
A	UFS310206L	8.5 ft.	Steel Snap Hook; comes with locking carabiner UFC401101	2
B	UFS310206LD	8.5 ft.	Twin Model - Steel Snap Hook; comes with UFC409151	2
C	UFS314006L	8.5 ft.	Steel Rebar Hook; comes with locking carabiner UFC401101	2
D	UFS314006LD	8.5 ft.	Twin Model - Steel Rebar Hook; comes with UFC409151	2
E	UFS316106L	8.5 ft.	Aluminum Rebar Hook; comes with locking carabiner UFC401101	2
F	UFS316106LD	8.5 ft.	Twin Model - Aluminum Rebar Hook; comes with UFC409151	2
G	UFS319006L	8.5 ft.	Tie-back Hook; comes with locking carabiner UFC401101	2
H	UFS319006LD	8.5 ft.	Twin Model - Tie-back Hook; comes with UFC409151	2
J	UFC409151	Twin/Single Connector (Steel Pin)		

Note: While supplies last, Class A/B still available on some models.




SELF-RETRACTING LIFELINES

BRUTE Backer™ LE SRL Series | Leading Edge Web



	Model	Length	Description	Class
A	UFS350206L	8.5 ft.	Steel Snap Hook; comes with locking carabiner UFC401101	2
B	UFS350206LD	8.5 ft.	Twin Model - Steel Snap Hook; comes with UFC409151	2
C	UFS354006L	8.5 ft.	Steel Rebar Hook; comes with locking carabiner UFC401101	2
D	UFS354006LD	8.5 ft.	Twin Model - Steel Rebar Hook; comes with UFC409151	2
E	UFS356106L	8.5 ft.	Aluminum Rebar Hook; comes with locking carabiner UFC401101	2
F	UFS356106LD	8.5 ft.	Twin Model - Aluminum Rebar Hook; comes with UFC409151	2
G	UFC409151	Twin/Single Connector (Steel Pin)		



SELF-RETRACTING LIFELINES



SELF-RETRACTING LIFELINES

BRUTE™ Sealed Series | Sealed Block SRL's (IP68 Level of IEC 60529) with Stainless Steel Cable and Snap Hook



BRUTE™
SEALED SERIES

IP68 Level
of IEC 60529

	Model	Length	Class
G	UFS570030	30 ft.	1
H	UFS570060	60 ft.	1
Not Shown	UFS5700100	100 ft.	1
Tagline	AFZ830025	27 ft.	
Tagline	AFZ830050	52 ft.	
Tagline	AFZ830100	102 ft.	

Note: While supplies last, Class A/B still available on some models.



Stainless Steel Carabiner
included with every BRUTE™
Sealed SRL. Tag Lines also
included.

SELF-RETRACTING LIFELINES

KStrong® New SRL ANSI Standard

New ANSI Standards for Fall Protection SRLs



ANSI/ASSP Z359.14-2021 standard has been recently updated to minimize confusion in the market as to proper use of Self-Retracting Lifelines (SRLs) in relation to anchor height requirements. Beginning in April 2022, KStrong began transitioning manufacturing of SRLs from current ANSI Class A/Class B to the new Class 1/Class 2 standard.

Classification Changes

SRLs will now be classified by two new class ranges: Class 1 and Class 2. The table below identifies Class 1 SRLs that are only to be used only on overhead anchorages and are subjected to a max free fall of 2 feet or less. Class 2 SRLs can only be used in applications where overhead anchorages may not be accessible and a structural edge is used instead; these can withstand a free fall of no more than 6 feet over an edge.

ANSI Z359.14-2014 (Old)	ANSI Z359.14-2021 (New)
Class A -Tested overhead with 282 lb. weight -Must arrest fall within 24" -Average force less than 1,350 lbs.	Class 1 -Tested overhead with 310 lb. weight -Must arrest fall within 42" -Average force less than 1,350 lbs.
Class B -Tested overhead with 282 lb. weight -Must arrest fall within 54" -Average force less than 900 lbs.	Class 2 -Meets Class 1 standards -Tested at foot level with 310 lb. weight -Arrest distance printed on label and instructions

SRLs must have Class 1 or Class 2 clearly labeled on the product as per the image below.



Also included in the ANSI Z359.14-2021 standard are testing requirements for a SRL-P, which is a self-retracting lanyard worn by the user on a full-body harness to be used as a fall arrest connector. Standard specifics are detailed in the table below.

Class 1 and Class 2 KStrong products are now available in the United States.

BODY WEAR

When it comes to your fall protection equipment, a full-body harness is one of the most important equipment choices you can make. While KStrong harnesses are built to meet or exceed ANSI standards and OSHA regulations, we've also designed comfort, lumbar support, positioning D-rings and accessibility into our body wear to provide workers with continued freedom of movement, sustained safety, and improved productivity while working at height or in confined spaces. KStrong Essential™, Elite™, and Epic™ harnesses provide workers with a very high degree of confidence, which directly affects the worker's productivity. While many of our safety harnesses can be used on most jobs, we also manufacture innovative full-body harnesses for specific uses within different industries such as Oil and Gas, Utility, Tower, and Wind Energy.

KAPTURE™ HARNESS SERIES

Kapture™ Essential | 3-point Adjustment | Available Sizes: Universal (S-L), L-XL

KAPTURE™ ESSENTIAL
LV1 || FULL BODY HARNESS

UFH10101G | Tongue Buckle Legs



UFH16101G | Removable Shoulder Padding



UFH10101P | Pass-Thru Legs



Kapture™ Essential | 3-point Adjustment | Available Sizes: Universal (S-L), L-XL

KAPTURE™ ESSENTIAL
LV1 || FULL BODY HARNESS

UFH10131G | Tongue Buckle Legs & Side D-Rings



UFH10131P | Pass-Thru Legs & Side D-Rings



BODY WEAR

Kapture™ Essential | 3-point Adjustment | Available Sizes: Universal (S-L), L-XL

KAPTURE™ ESSENTIAL
LV1 || FULL BODY HARNESS

UFH10102G | Tongue Buckle Legs, Dorsal D-Ring with Sewn In 18" Extension O-Ring



UFH10102P | Pass-Thru Legs, Dorsal D-Ring with Sewn In 18" Extension O-Ring



Kapture™ Essential+ | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL

KAPTURE™ ESSENTIAL+PLUS
LV1 ||

UFH16201GP | Web Loop Added Under Dorsal D-ring, Tongue Buckle Legs & with Removable Back/Shoulder Pad



UFH16201GP(BL) | Web Loop Added Under Dorsal D-ring, Tongue Buckle Legs & with Removable Back/Shoulder Pad



BODY WEAR

Kapture™ Essential+ | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH16001GP | Tongue Buckle Legs

KAPTURE™
LV1 || ESSENTIAL
+PLUS



Kapture™ Essential+ | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH16231GP | Back/Shoulder Pad and Waist Belt, 3 D-rings, Tongue Buckle Legs



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH10201G | Tongue Buckle Legs

UFH10201GQ | QC Chest, Tongue Buckle Legs

Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL

UFH10201P | Pass-Thru Legs

KAPTURE™
LV2 || FULL BODY HARNESS
ELITE



BODY WEAR

Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL

UFH10231G | Tongue Buckle Legs & Side D-Rings

UFH10231P | Pass-Thru Legs & Side D-Rings

KAPTURE™ ELITE
LV2 || FULL BODY HARNESS



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL

UFH10251G | Climbing FBH, TB Legs, Front & Side D-rings

UFH10251P | Climbing FBH, PT Legs, Front & Side D-rings

KAPTURE™ ELITE
LV2 || FULL BODY HARNESS



BODY WEAR

Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH10211G | Front D-Ring, Tongue Buckle Legs

UFH10241G | Front D-Ring, Shoulder D-rings, Tongue Buckle Legs

UFH10211P | Front D-Ring, Pass-Thru Legs

KAPTURE™ ELITE
LV2 || FULL BODY HARNESS



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH10252P | Pass-Thru Legs, Front & Side D-rings

Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH10261G | Tongue Buckle Legs, Front, Side, and Shoulder D-rings

KAPTURE™ ELITE
LV2 || FULL BODY HARNESS



BODY WEAR

Kapture™ Elite+ & Epic Series featuring **D-Ring Plus™**



Step 1:



Open Dual Connector.

Step 2:



Insert Dual Connector into D-Ring Plus™.

Step 3:



Fully close/lock Dual Connector.

Step 4:



Fast, easy, and safe. You're all finished.

Kapture™ Elite+ | 5-point Adjustment, Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH15201GQ | Tongue Buckle Legs, Quick Connect Chest, Enhanced Dorsal D-ring

UFZ850100 Trauma Relief Straps Included

KAPTURE™
LV2 || ELITE
+PLUS



Kapture™ Elite+ | 5-point Adjustment, Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH15203GQ | Spring Torso Adjusters, Enhanced Aluminum Dorsal D-ring Plus, Quick Connect Chest, Multi-Flex Feature for Ease of Mobility, Tongue Buckle Legs

UFZ850100 Trauma Relief Straps Included

KAPTURE™
LV2 || ELITE
+PLUS



BODY WEAR

Kapture™ Elite+ | 5-point Adjust., Comfort Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH152011GQ | Front D-Ring, Tongue Buckle Legs, Quick Connect Chest

KAPTURE™
LV2 || ELITE
+PLUS



UFZ850100 Trauma Relief Straps Included

Kapture™ Elite+ | 5-point, Comfort Shoulder/Back Pad Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH15201Q | Quick Connect Chest and Leg Buckles

KAPTURE™
LV2 || ELITE
+PLUS



UFZ850100 Trauma Relief Straps Included

Kapture™ Elite+ | 5-point Adjustment, Comfort Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH15231Q | Quick Connect Chest and Leg Buckles, Side D-Rings

KAPTURE™
LV2 || ELITE
+PLUS



UFZ850100 Trauma Relief Straps Included

UFH15231GQ | Quick Connect Chest, Tongue Buckle Legs, Side D-Rings



UFZ850100 Trauma Relief Straps Included

BODY WEAR

Kapture™ Epic | 5-point Adjustment, Comfort Back Pad & Belt | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH10332G | Quick Connect Chest, Tongue Buckle Legs, Enhanced Dorsal D-ring Plus, Side D-rings

UFH10332P | Quick Connect Chest & Legs, Enhanced Dorsal D-ring Plus, Side D-rings

KAPTURE™ EPIC
LV3 || FULL BODY HARNESS



UFZ850100 Trauma
Relief Straps Included



UFZ850100 Trauma
Relief Straps Included

Kapture™ Epic | 5-point Adjustment, Comfort Back Pad & Belt | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH10341G | Quick Connect Chest, Tongue Buckle Legs, Enhanced Dorsal D-ring Plus, Front & Side D-rings

Kapture™ Element | 5-point Adjustment, Revolta™ Oil and Water Repellent Webbing | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH10801GQ | Quick Connect Chest, Tongue Buckle Legs, Enhanced Dorsal D-ring Plus

KAPTURE™ EPIC
LV3 || FULL BODY HARNESS



UFZ850100 Trauma
Relief Straps Included

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS



BODY WEAR

Kapture™ Element | 5-point Adjustment,
Revolta™ Oil and Water Repellent Webbing
Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH10802Q | Back/Shoulder Pad, Quick Connect Chest & Legs,
Enhanced Dorsal D-ring Plus, Trauma Relief Straps

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS



UFZ850100 Trauma
Relief Straps Included

Kapture™ Element | 5-point Adjustment,
Revolta™ Oil and Water Repellent Webbing
Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH10811GQ | Quick Connect Chest, Tongue Buckle Legs, Enhanced
Dorsal D-ring Plus, Front D-ring

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS



Kapture™ Element | Arc Flash Rated 5-point Adjustment | Available Sizes: Universal (S-L), L-XL

UFH10700P | Mating Buckle Legs & Chest

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS



K/STRONG
ARC FLASH
RATED
ASTM F887-18

UFH10701P | Mating Buckle Legs & Chest, Side D-rings



K/STRONG
ARC FLASH
RATED
ASTM F887-18

BODY WEAR

Kapture™ Element | Arc Flash Rated 5-point Adjustment | Available Sizes: Universal (S-L), L-XL

UFH10710P | Mating Buckle Legs & Chest, Front D-Ring

UFH10711P | Mating Buckle Legs & Chest, Web Loop Dorsal and Front D-rings

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS



Kapture™ Element | Arc Flash Rated 5-point Adjustment, Back/Shoulder Pad | Available Sizes: Universal (S-L), L-XL

UFH10731P | Padded Belt, MB Legs & Chest, Side D-rings

UFH10732P | Padded Belt, MB Legs & Chest, Front & Side D-rings

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS



BODY WEAR

Kapture™ Element | Welding with FR Aramid Webbing, 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH19902GGF | Quick Connect Chest, Tongue Buckle Legs, Spring Roller Buckles

UFH19902PF | MB Legs & Chest, Spring Roller Buckles

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS



Kapture™ Element | Welding with FR Aramid Webbing, 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH19902QF | Quick Connect Legs & Chest

UFH19903PQF | Quick Connect Legs, MB Chest, Spring Roller Buckles, Side D-rings

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS



BODY WEAR

Kapture™ Element | Oil & Gas Derrick Series, 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS

UFH90131G | Tongue Buckle Legs & Side D-Rings



UFH90141G | Tongue Buckle Legs & Side D-Rings, Dorsal D-Ring with Sewn In 18" Extension D-Ring



Kapture™ Element | Oil & Gas Derrick Series, 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS

UFH90341G | Comfort Shoulder/Back Pad with Padded Belt, Tongue Buckle Legs & Side D-Rings, Back Belt D-Ring and Dorsal D-Ring with Sewn In 18" Extension D-Ring, Trauma Relief Straps



UFH90471G | Padded Belt, Tongue Buckle Legs & Side D-Rings, Front and Dorsal D-Ring with Sewn In 18" Extension D-Ring, Removable Bosun Chair



BODY WEAR

Kapture™ Element | Oil & Gas Derrick Series Accessories

UFZ910001 | Oil and Gas Derrick Belly Belt with Two Connector Straps



UFZ910005 | Oil and Gas Derrick Belly Belt with Two Connector Buckles



UFZ920001 | Bosun Chair with Board, Lifting D-rings, Tool Clips



UFZ920011 | Bosun Chair with Padded Board, Padded Belt, Lifting D-rings, Tool Clips



Kapture™ Belts | Padded Waist Tool Belts with D-Rings

UFZ840020 | 1 Rear Restraint D-ring with Removable Tool Belt



UFZ840010 | 2 Work Positioning Side D-rings with Removable Tool Belt



BODY WEAR

Harness Accessories

UFZ850100 | Trauma Step-Up Relief; Retrofits to Most Harnesses



Instructional Video
Scan with camera to view a quick and informative safety video on this product.



Harness Accessories

UFZ801001 | Removable Shoulder Yoke Comfort Pad for use with full body harnesses



UFZ800200 | Replacement Lanyard Keeper with Large Ring



UFZ200101 | Kit Bag - Small



Harness Accessories

UFZ801011 | 54" Removable Tool Belt

UFZ801012 | 60" Removable Tool Belt



Belt & Leg Strap Sizing

Harness Size	Waist Circumference (in.)	Leg Circumference (in.)
Small - Medium	*Belt not provided in this size	24 - 37
Medium - Large	*Belt not provided in this size	24 - 39
Universal (Small - Large)	33 - 46	27 - 42
Large - X-Large	33 - 49	27 - 43
X-Large - 2X-Large	33 - 50	27 - 45

BODY WEAR

Harness Accessories

UFZ800100 | 18" Clear Pack SAL with snap hook and D-ring

UFZ802001 | 18" Lanyard extender with snap hook, other end O-ring

UFZ800501 | 20" D-ring extender with loop, other end D-ring



Harness Features Chart

Kapture™ Series	Model	Adjustment Points & Special Feature(s)	D-Ring Configuration	Leg Straps			Belt	Pads	Available Sizes					Minimum Standards Met
				Pass Thru	Tongue Buckle	Quick Connect			Universal (S - L)	S - M	M - L	L - XL	XL - 2XL	
Essential	UFH10101P	3	Back (Dorsal)	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10101G	3	Back (Dorsal)		⚡				⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH16101G	3	Back (Dorsal)		⚡			Removable Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10102P	3	Back (Dorsal) with 18" Ext. O-ring	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10102G	3	Back (Dorsal) with 18" Ext. O-ring		⚡				⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10131P	3	Back (Dorsal) & Sides	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10131G	3	Back (Dorsal) & Sides		⚡				⚡			⚡		OSHA & ANSI Z359.11-2014
Essential+	UFH16001GP	5	Back (Dorsal)		⚡					⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Essential+	UFH16201GP	5	Back (Dorsal)		⚡			Removable Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021
Essential+	UFH16201GP (BL)	5	Back (Dorsal) with Web Loop		⚡			Removable Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021
Essential+	UFH16231GP	5	Back (Dorsal) & Sides		⚡		⚡	Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021

BODY WEAR

Harness Features Chart

Kapture™ Series	Model	Adjustment Points & Special Feature(s)	D-Ring Configuration	Leg Straps			Belt	Pads	Available Sizes					Minimum Standards Met
				Pass Thru	Tongue Buckle	Quick Connect			Universal (S - L)	S - M	M - L	L - XL	XL - 2XL	
Elite	UFH10201P	5	Back (Dorsal)	⚡							⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite	UFH10201G	5	Back (Dorsal)		⚡					⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2021
Elite	UFH10201GQ	5	Back (Dorsal)		⚡	Chest				⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite	UFH10211P	5	Back (Dorsal), Front	⚡						⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite	UFH10211G	5	Back (Dorsal), Front		⚡					⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2021
Elite	UFH10231P	5	Back (Dorsal) & Sides	⚡						⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10231G	5	Back (Dorsal) & Sides		⚡					⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10241G	5	Back (Dorsal), Front, Shoulder		⚡					⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2021
Elite	UFH10251P	5, Crossover Design	Back (Dorsal), Front & Sides	⚡						⚡	⚡	⚡		OSHA & ANSI Z359.11-2021
Elite	UFH10251G	5, Crossover Design	Back (Dorsal), Front & Sides		⚡					⚡	⚡	⚡		OSHA & ANSI Z359.11-2021
Elite	UFH10252P	5	Back (Dorsal), Front & Sides	⚡						⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite	UFH10261G	5	Back (Dorsal), Front, Shoulder, & Sides		⚡					⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021
Elite+	UFH15201GQ	5	Enhanced Back (Dorsal)		⚡	Chest		Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2021
Elite+	UFH152011GQ	5	Enhanced Back (Dorsal), Front		⚡	Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021
Elite+	UFH15201Q	5	Enhanced Back (Dorsal)			⚡ + Chest		Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite+	UFH15203GQ	5, Multi-Flex, Spring Torso Adjusters	Enhanced Back (Dorsal)		⚡	Chest		Removable Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021
Elite+	UFH15231Q	5	Enhanced Back (Dorsal) & Sides			⚡ + Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite+	UFH15231GQ	5	Enhanced Back (Dorsal) & Sides		⚡	Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021
Epic	UFH10332P	5	Enhanced Back (Dorsal) & Sides			⚡ + Chest	⚡	Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2021
Epic	UFH10332G	5	Enhanced Back (Dorsal) & Sides		⚡	Chest	⚡	Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2021
Epic	UFH10341G	5	Enhanced Back (Dorsal), Front & Sides		⚡	Chest	⚡	Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021


BODY WEAR

Harness Features Chart

Kapture™ Series	Model	Adjustment Points & Special Feature(s)	D-Ring Configuration	Pass Thru	Leg Straps	Quick Connect	Belt	Pads	Universal (S - L)	Available Sizes				Minimum Standards Met
					Tongue Buckle					S - M	M - L	L - XL	XL - 2XL	
Element	UFH10801GQ	5, Revolta™ Oil and Water Repellent	Enhanced Back (Dorsal)		⚡	Chest				⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021
Element	UFH10802Q	Oil and Water Repellent, Trauma Relief Straps	Enhanced Back (Dorsal)			⚡ + Chest		Removable Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH10811GQ	5, Revolta™ Oil and Water Repellent	Enhanced Back (Dorsal), Front		⚡	Chest				⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2021
Element	UFH10700P	5, Arc Flash Rated	Back (Dorsal)	⚡					⚡			⚡		OSHA & ANSI Z359.11-2021, ASTM F887-20
Element	UFH10701P	5, Arc Flash Rated	Back (Dorsal) & Sides	⚡					⚡			⚡		OSHA & ANSI Z359.11-2021, ASTM F887-20
Element	UFH10710P	5, Arc Flash Rated	Back (Dorsal), Front	⚡					⚡			⚡		OSHA & ANSI Z359.11-2021, ASTM F887-20
Element	UFH10711P	5, Arc Flash Rated	Back (Dorsal), Front Web Loops	⚡					⚡			⚡		OSHA & ANSI Z359.11-2021, ASTM F887-20
Element	UFH10731P	5, Arc Flash Rated	Back (Dorsal) & Sides	⚡			⚡	Removable Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2021, ASTM F887-20
Element	UFH10732P	5, Arc Flash Rated	Back (Dorsal), Front & Sides	⚡			⚡	Removable Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2021, ASTM F887-20
Element	UFH19902GQF	5, FR Aramid Webbing, Spring Roller Buckles	Back (Dorsal)		⚡	Chest				⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH19902PF	5, FR Aramid Webbing, Spring Roller Buckles	Back (Dorsal)	⚡						⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH19902QF	5, FR Aramid Webbing	Back (Dorsal)			⚡ + Chest				⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH19903PQF	5, FR Aramid Webbing, Spring Roller Buckles	Back (Dorsal) & Sides	Chest		⚡				⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH90131G	5, Oil & Gas Derrick	Back (Dorsal) & Sides	Chest	⚡			Small Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH90141G	5, Oil & Gas Derrick	Back (Dorsal) with 18" Ext. D-ring, Sides	Chest	⚡			Small Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH90341G	5, Oil & Gas Derrick, Trauma Relief Straps	Back (Dorsal) with 18" Ext. D-ring, Sides, Back Belt	Chest	⚡		⚡	Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH90471G	5, Oil & Gas Derrick	Ext. D-ring, Front, Sides, Removable Bosun Chair	Chest	⚡		⚡	Small Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014

BODY WEAR

Harness Sizing Chart



CONNECTORS

KStrong's extensive selection of connectors for fall arrest, work positioning, and restraint applications is built on years of dependable design, construction, performance, and quality through rigorous testing to provide your worker with ultimate protection. As we manufacture all our connectors in-house including all hardware (snap hooks, carabiners, etc.), you are guaranteed products of the highest quality all backed by industry-preferred Level 3 ANSI independent 3rd-party testing documentation. When you need to be connected, rest assured KStrong has the right equipment for the job!

	Model	Length	Shock Absorption	Description		Model	Length	Shock Absorption	Description
A	UFL204101	6 ft.	Internal	Snap Hooks	C	UFL204121	6 ft.	Internal	Y with Snap Hooks
B	UFL204111	6 ft.	Internal	Snap Hook & Rebar Hook	D	UFL204131	6 ft.	Internal	Y with Rebar Hooks

Energy Absorbing Lanyards | 6 ft. Internal Shock Absorption



CONNECTORS

	Model	Length	Shock Absorption	Description
E	UFL206101	4.5 - 6 ft.	Internal - Elasticated	Snap Hooks
F	UFL206111	4.5 - 6 ft.	Internal - Elasticated	Snap Hook & Rebar Hook
G	UFL206121	4.5 - 6 ft.	Internal - Elasticated	Y with Snap Hooks
H	UFL206131	4.5 - 6 ft.	Internal - Elasticated	Y with Rebar Hooks
J	UFL206214	4.5 - 6 ft.	Internal - Elasticated	Aluminum Snap Hook & Rebar Hook
K	UFL206234	4.5 - 6 ft.	Internal - Elasticated	Y with Aluminum Rebar Hooks

Energy Absorbing Lanyards | Elasticated 4.5 ft. - 6 ft.



CONNECTORS

	Model	Length	Shock Absorption	Description
A	UFL201101(03)	3 ft.	Clear Shock Pack	Snap Hooks
B	UFL201101(04)	4 ft.	Clear Shock Pack	Snap Hooks
C	UFL201101	6 ft.	Clear Shock Pack	Snap Hooks
D	UFL201111	6 ft.	Clear Shock Pack	Snap Hook & Rebar Hook
E	UFL201121(04)	4 ft.	Clear Shock Pack	Y with Snap Hooks
F	UFL201121	6 ft.	Clear Shock Pack	Y with Snap Hooks
G	UFL201131	6 ft.	Clear Shock Pack	Y with Rebar Hooks
H	UFL201421	6 ft.	Clear Shock Pack	Y with Tie-back Hooks

Energy Absorbing Lanyards | 6 ft. Clear Shock Pack



CONNECTORS

Model	Length	Shock Absorption	Description
J UFL201301	4.5 - 6 ft.	Clear Shock Pack	Adjustable with Snap Hooks
K UFL201331	4.5 - 6 ft.	Clear Shock Pack	Adjustable Y with Rebar Hooks

Model	Length	Shock Absorption	Description
L UFL201402	6 ft.	Clear Shock Pack	Adjustable 4.5'-6' with snap hook and one tie-back hook
M UFL201422	6 ft.	Clear Shock Pack	Y with Tie-back Hooks & Adjustable D-rings

Energy Absorbing Lanyards | 4.5 - 6 ft. Adjustable with Clear Shock Pack



CONNECTORS

Model	Length	Shock Absorption	Description	Model	Length	Shock Absorption	Description
A UFL201601	6 ft.	Clear Shock Pack	LE Rated with Snap Hooks	C UFL201621	6 ft.	Clear Shock Pack	LE Rated Y with Snap Hooks
B UFL201611	6 ft.	Clear Shock Pack	LE Rated with Rebar Hook	D UFL201622	6 ft.	Clear Shock Pack	LE Rated Y with Rebar Hooks

Energy Absorbing Lanyards | LE Rated for up to 12 ft. Free-fall



CONNECTORS

Model	Length	Shock Absorption	Description	Model	Length	Shock Absorption	Description
E UFL201701	6 ft.	Shock Pack	Dielectric Arc Flash Rated with Snap & Rebar Hook	G UFL201740	6 ft.	Shock Pack	Dielectric Arc Flash Rated with Snap Hook & Loop
F UFL201721	6 ft.	Shock Pack	Y Dielectric Arc Flash Rated with Rebar Hooks	H UFL201750	6 ft.	Shock Pack	Y Dielectric Arc Flash Rated with Snap Hooks and Loop

Energy Absorbing Lanyards | 6 ft. Arc Flash



CONNECTORS

	Model	Length	Shock Absorption	Description
A	UFL205201	6 ft.	N/A	Snap Hooks
B	UFL205215	4.5 - 6 ft.	N/A	Adjustable with Forged Steel Snap Hooks
C	UFL205211	4.5 - 6 ft.	N/A	Adjustable with Snap Hooks

	Model	Length	Shock Absorption	Description
D	UFL205201(02)	2 ft.	N/A	Snap Hooks
E	UFL205201(03)	3 ft.	N/A	Snap Hooks
F	UFL205401		N/A	WPL Chain Assembly
G	UFL205251		N/A	WPL Web Assembly

Work Positioning Lanyards & Devices



COMBO KITS

Harness & Lanyard Combo Kits

UFK10010 | 3 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks | Sizes: S-L, L-XL



UFK10015 | 3 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook | Sizes: S-L, L-XL



UFK10025 | 3 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks | Sizes: S-L, L-XL



UFK20010 | 5 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks | Sizes: S-M, M-L, L-XL



UFK20015 | 5 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook | Sizes: S-M, M-L, L-XL



UFK20025 | 5 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks | Sizes: S-M, M-L, L-XL



Harness & Lanyard Aerial Kits

UFK20510 | 5pt. FBH, TB Legs, and Micron™ SRL with Snap Hook, Includes Carabiner | Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL



UFK20410 | Aerial Kit with 3 pt. FBH, MB Legs, and 4.5 - 6 ft. Adjustable WPL with Snap Hooks | Sizes: S-L, L-XL



UFK23110 | Aerial Bucket Kit with 5 pt. FBH, TB Legs, and 6' Clear Pack SAL with Snap Hooks | Sizes: S-M, M-L, L-XL



ANCHORAGES

Selecting an appropriate anchorage connector for your fall arrest system is a critical element in protecting a worker from fall and confined space hazards. Designed to fit a broad scope of general and specific user applications, our offering of anchorage connectors meets those requirements head-on by providing a secure point of attachment. Fall arrest anchors are identified by what they connect to such as steel anchors, concrete anchors, roof anchors and specialty safety anchors designed for your unique applications. Your worker can work with confidence knowing each connector is rigorously Level 3 ANSI tested and meets or exceeds industry standards. For 2024, we are committed to expanding our offering of anchors to better protect your workers!

Anchor | Concrete & Steel

UFA30090 | 3/4" Removable Bolt Anchor for Concrete



Concrete Embed Anchor Straps

With Loop and D-Ring



Model	Length
UFA20504	4 ft.
UFA20506	6 ft.

With Loops on Both Ends



Model	Length
UFA21004	4 ft.
UFA21006	6 ft.

UFA30311 | Bully™ Swivel 10K Anchor for Metal Structure with 5/8", 4" Long Hex Head Bolt, Nut, and Washer



UFA30311(W) | Bully™ Swivel 10K Anchor (without bolt)




UFA30050 | Steel weld-on or bolt-on anchor point



UFA30080 | Removable Steel Girder Anchor



UFA30301 | Bolt-on steel two hole d-ring anchor



ANCHORAGES

Anchors | I-beam

UFA30110 | I-beam anchor, Adjustable to fit flange widths of 3.5" to 14"



UFA30115 | I-beam anchor, Adjustable to fit flange widths of 3.5" to 6"



UFA30130 | Aluminum and Steel Rolling Beam Anchor, adjustable 3.14" - 9.84"



UFA30111 | Column Mount Vertical Beam Anchor, adjustable 3.54" - 13.38"



ANCHORAGES

Multipurpose Anchors | Web Slings

Choker Style Anchor Strap with Wear Pad



Model	Length
UFA20003	3 ft.
UFA20004	4 ft.
UFA20006	6 ft.
UFA20010	10 ft.
UFA20016	16 ft.
UFA20024	24 ft.
UFA20030	30 ft.



Wire Cable Slings

Wire Cable Sling, large and small O-rings



Model	Length
UFA710103	3 ft.
UFA710104	4 ft.
UFA710106	6 ft.

Wire Cable Sling with snap hook and large O-ring



Model	Length
UFA710003	3 ft.
UFA710004	4 ft.
UFA710006	6 ft.

Wire Cable Slings | Drop Thru

UFA30501 | 5K Drop Thru Anchor with Swivel D-ring- 4" Round Plate with 6' Cable
UFA30501(04) | 5K Drop Thru Anchor with Swivel D-ring- 4" Round Plate with 4' Cable



ROOFER KITS, ANCHORS, GRABS & VLL

Roofing Kits

UFB101025(L-XL) - 25 ft. Rope | **UFB101050(L-XL)** - 50 ft. Rope

Roofers Kit with 5-point Adjustable Harness (size L- XL), 25 ft. or 50 ft. Vertical 5/8" Diameter Polysteel Lifeline with snap hook on anchor and, other end taped, 3 ft. shock absorbing rope grab assembly, reusable hinged roof anchor, storage bucket and lid (ANSI)



UFB201050(L-XL) - Roofers Kit with Elite 5-Point MB Leg Harness Size L-XL, 50 ft.

Vertical 5/8" Diameter Polysteel Lifeline with snap hook on anchor and, other end taped, 3 ft. shock absorbing openable self-tracking rope grab assembly, reusable hinged roof anchor, storage bucket and lid (ANSI)



UFB103050(M-L) - Roofers Kit with Elite 5-Point TB Leg Harness Size M-L, 50 ft. Vertical

5/8" Diameter Polysteel Lifeline with snap hook on anchor and, other end taped, 3 ft. shock absorbing rope grab assembly, reusable hinged roof anchor, storage bucket and lid (ANSI)



UFB102025(M-L) - Roofers Kit with Elite+ 5-Point TB Leg Harness Size M-L, Trauma

Relief Straps, 25 ft. Vertical 5/8" Diameter Polysteel Lifeline with snap hook on anchor and, other end taped, 3 ft. shock absorbing rope grab assembly, reusable hinged roof anchor, storage bucket and lid (ANSI)



UFB501125(L-XL) - Roofers Boxed Kit with 3-point Adjustable Harness (size L- XL), 25 ft. Vertical 5/8" Diameter Polysteel Lifeline with snap hook on anchor end, other end folded with heat shrink cover, 3 ft. shock absorbing rope grab assembly, and reusable hinged roof anchor (ANSI).

ROOFER KITS, ANCHORS, GRABS & VLL

Roofing Accessories

Polysteel 5/8" Rope
UFR100025 | 25 ft., **UFR100050** | 50 ft.,
UFR100100 | 100 ft., **UFR100200** | 200 ft.,
UFR100500 | 500 ft.



White Polydac Rope
UFR200025 | 25 ft., **UFR200050** | 50 ft.,
UFR200100 | 100 ft., **UFR200200** | 200 ft.,
UFR200500 | 500 ft.



White Polydac Rope w/ 2 Snap Hooks
UFR210025 | 25 ft., **UFR210050** | 50 ft.,
UFR210100 | 100 ft., **UFR210200** | 200 ft.




UFX903050 | Rope Termination Anchor



UFG602100 | 5/8" Stainless Steel Self-Tracking Rope Grab with Roller Guide



UFG601010 | Anti-panic Self-tracking Rope Grab for 5/8" Rope



UFG611020 | Manual 3 ft. Shock Absorbing Rope Grab Assembly



UFG611010 | 3' Self tracking non-captive openable shock absorbing rope grab assembly. For use on 5/8" rope.



UFA30015 | Single Use Steel, Raised
UFA30015N | Single Use Steel, Raised w/8 Nails



UFA30020 | Permanent Use Stainless Steel Roof Anchor with D-rings



UFA30001 | Hinged Reusable



UFA30010 | Single Use Steel



UFA30021 | Permanent Use Stainless Steel 17" Roof Anchor with 1 Forged D-ring



ROOFER KITS, ANCHORS, GRABS & VLL

Additional Roof Anchors

Riser Post Roof Anchor for Concrete Decks
UFA55207SW(12) - 12"
UFA55207SW(18) - 18"



End Post for Fixed Systems
UFA55207E(12) - 12"
UFA55207E(18) - 18"



UFA000WT | Wood Truss Anchor / 1,800lbf



UFA30030 | Reusable heavy duty chain roof anchor



UFA30030 | Bull Ring Anchor



UFA30211 | Stand Alone Post for SRL on Standing Trapezoidal Metal Roof Deck; 360° rotation




UFA30201 | Stand Alone Post for SRL on Standing Seam Metal Roof Deck; Seam Widths Ranging from 24" - 36"; 360° rotation



UFA30201S | Steel Swivel Roof Anchor for Self-Retracting Lifeline Used on Standing Seam Metal Roof Deck 16-24"



UFA30070 | Parapet Anchor Clamp with Extended Movable Arm



UFA55370 | Single Seam Roof Anchor



ANCHORAGES

Door Jamb/Window Anchor

UFA30401 | Door Jamb/Window Anchor, adjustable 23.6" - 49.2"

- KStrong Door Anchor provides a non-intrusive anchor point and can be easily installed inside the interior of a building or window opening enabling the most difficult jobs to get done safely and with confidence.
- KStrong Door Anchor can be installed by just compressing it against the door or window frame, jamming itself between the two vertical sides.
- It is constructed of Aluminum alloy, hence it is highly corrosion resistant and is lightweight, weighing less than 10.7 lbs.
- The arms of the KStrong Door Anchor are adjustable enabling installation on door/window frames of width from 23.62" to 49.21".
- Fast and easy Installation with built in adjustment knob hence no tools or drilling is required.
- Extremely portable design for easy transport, storage and usage. Every Door Anchor is provided with a deluxe carrying bag.



HORIZONTAL LIFELINES (HLL)



**60 FT.
ADJUSTABLE**
HANDY LINE™
2-PERSON TEMPORARY HORIZONTAL LIFELINE

UFA40110 | KStrong® Handy Line™ 60 ft. Adjustable
2-Person Temporary Horizontal Lifeline System

HORIZONTAL LIFELINES (HLL)

In addition to anchorages, body wear, connectors and devices, KStrong, also provides fall protection solutions for Confined Space Entry, Horizontal Lifeline systems, plus our evolving selection of Dropped Tool Prevention solutions.

Horizontal System

UFA40010 | KStrong® Wrangler™ 100 ft. Adjustable 4-Person Capacity Lightweight Quick Set-up Horizontal Lifeline System. Includes installation carabiner at each end, tension indicator, and two (2) UFA20006 6 ft. anchor straps.

100 FT. ADJUSTABLE WRANGLER™ 4-PERSON TEMPORARY HORIZONTAL LIFELINE



Model	Description
UFXR4001	Replacement 100 ft. Replacement Rope Assembly
UFCHLLRING	Replacement Steel O-Ring

UFA40012 | KStrong® Wrangler Jr.™ 60 ft. Adjustable 2-Person Capacity

60 FT. ADJUSTABLE WRANGLER JR.™ 2-PERSON TEMPORARY HORIZONTAL LIFELINE



HORIZONTAL LIFELINES (HLL)

Specialty Anchor

UFA30420 - Off-set I-beam stanchion for approved horizontal lifelines

- Anchor post designed to be installed on metal I-Beam
- Can be used as a stand-alone anchor post or to form a horizontal lifeline along the length of I-Beam
- The post comes with a unique tilted design to allow unobstructed movement of the user during the construction of roofs or metal structure
- Span lengths are adjustable with help of intermediates
- Compatible with I-Beam having flange width of 5.9" (150mm) to 8.66" (220mm)





HORIZONTAL LIFELINES (HLL)

Specialty Anchor

Vertical Post for Containers

- Container anchor post is designed to provide a temporary anchor for working on top of 20 ft. - 40 ft. shipping containers.
- In addition to being used as a stand alone anchor post, it can also be used to form a horizontal lifeline over the top of a container depending upon the requirement of work to be done
- Comes with a side lock and tagline arrangement for easy and secure installation that can be performed by one person
- Four holes on the anchor plate (UFA30430) can be used for making connections as anchor points
- Consists of side handle with special grip for easy carrying and safe transportation
- Can be easily removed without damaging the container



	Model	Description
A	UFA30430	Four Hole Anchor Plate Top
B	UFA30430(SW)	Swivel Anchor Top



ADDITIONAL PRODUCTS

Rescue and Descent - 7 ft. Megapod™ Tripod Kits



**7 ft. Deluxe
Megapod™ Kit**

Model	Description
A UFT510007DK	7 ft. Deluxe Megapod™ Tripod Kit. Includes Tripod, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, 60 ft. Material / Personnel Winch, and Storage Bags for Tripod / Equipment.
B UFT510007RK	7 ft. Megapod™ Tripod Recovery Kit. Includes Tripod, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and Storage Bags for Tripod / Equipment.
C UFT510007BK	7 ft. Megapod™ Tripod Basic Kit. Includes Tripod, 60 ft. Material / Personnel Winch, and Storage Bags for Tripod / Winch.



**7 ft. Recovery
Megapod™ Kit**



**7 ft. Basic
Megapod™ Kit**

ADDITIONAL PRODUCTS

Rescue and Descent - 10 ft. Megapod™ Tripod Kits

Model	Description
D UFT510010DK	10 ft. Megapod™ Tripod Deluxe Kit. Includes Tripod, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, 60 ft. Material / Personnel Winch, and Storage Bags for Tripod / Equipment.
E UFT510010RK	10 ft. Megapod™ Tripod Recovery Kit. Includes Tripod, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and Storage Bags for Tripod / Equipment.
F UFT510010BK	10 ft. Megapod™ Tripod Basic Kit. Includes Tripod, 60 ft. Material / Personnel Winch, and Storage Bags for Tripod / Winch.



ADDITIONAL PRODUCTS

Rescue and Descent Megapod™ Tripods & Accessories



Model	Description
A UFT510010	10 ft. Megapod™ Adjustable Height Tripod with Dual Built-in Pulley Head Assembly; Includes Tripod Bag
B UFT510007	7 ft. Megapod™ Adjustable Height Tripod with Dual Built-in Pulley Head Assembly; Includes Tripod Bag
C UFT530060	60' Galvanized wire cable Personnel/Material rated bi-directional winch
C UFT530060(SS)	60' Stainless Steel wire cable Personnel/Material rated bi-directional winch
D UFT531130	100' Galvanized wire cable Personnel/Material rated bi-directional winch
E UFS310060R	BRUTE™ 60 ft. 3-way SRL-R
F UFS310100R	BRUTE™ 100 ft. 3-way SRL-R
G UFT510010B	Mounting Bracket for 3-way SRL
H UFT510010B2	Universal Lower Assembly Mounting Bracket Receiver for Winch and 3-Way Rescue/Retrieval Device Brackets
J UFX903010	Spread Bar with Snap Hooks (ANSI)
K UFZ810020	10 ft. Megapod™ Storage Bag
L UFZ810010	7 ft. Megapod™ Storage Bag
M TRIP-ASS-031	Replacement Leg Pins for Megapod™
N MPOD-ASS-005	Megapod™ Chain Link Assembly for 7 ft. Tripod
N MPOD-ASS-008	Megapod™ Chain Link Assembly for 10 ft. Tripod

ADDITIONAL PRODUCTS

Rescue and Descent Davits



ADDITIONAL PRODUCTS

Rescue and Descent Megadavit™



ADDITIONAL PRODUCTS

Rescue and Descent Megadavit™



Model	Description
A UFT551011DK	Megadavit™ H-Base Deluxe Kit. Includes H-Base Frame Assembly, 54 in. Column Mast, 3 ft. Cantilever Boom Arm with Winch Bracket, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and 60 ft. Material / Personnel Winch
B UFT551011BK	Megadavit™ H-Base Basic Kit. Includes H-Base Frame Assembly, 54 in. Column Mast, and 3 ft. Cantilever Boom Arm with Winch Bracket
C UFT551021DK	Megadavit™ Floor Mount Deluxe Kit. Includes Floor Mount Column Mast Receiver, 54 in. Column Mast, 3 ft. Cantilever Boom Arm with Winch Bracket, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and 60 ft. Material / Personnel Winch
D UFT551021BK	Megadavit™ Floor Mount Basic Kit. Includes Floor Mount Column Mast Receiver, 54 in. Column Mast, and 3 ft. Cantilever Boom Arm with Winch Bracket
E UFT551031DK	Megadavit™ Wall Mount Deluxe Kit. Includes Wall Mount Column Mast Receiver, 54 in. Column Mast, 3 ft. Cantilever Boom Arm with Winch Bracket, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and 60 ft. Material / Personnel Winch
F UFT551031BK	Megadavit™ Wall Mount Basic Kit. Includes Wall Mount Column Mast Receiver, 54 in. Column Mast, and 3 ft. Cantilever Boom Arm with Winch Bracket
G UFT555001	Megadavit™ H-Base Frame Assembly (High Strength Aluminum Alloy)
H UFT556201	Megadavit™ 54 in. Column Mast (High Strength Aluminum Alloy)
J UFT556101	Megadavit™ 36 in. Column Mast (High Strength Aluminum Alloy)
K UFT556001	Megadavit™ 3 ft. Cantilever Boom Arm with Winch Bracket (High Strength Aluminum Alloy)
L UFT555101	Megadavit™ Floor Mount Column Mast Receiver (SS316)
M UFT555201	Megadavit™ Wall Mount Column Mast Receiver (SS316)
N UFT555002	Megadavit™ Concrete Embed Column Mast Receiver (SS316)

CONNECTORS

Carabiners

UFC401100 | Steel Carabiner with .84" gate opening



UFC401110 | Small Steel Carabiner with 1" gate opening



UFC408120 | Steel Carabiner with 2" gate opening



UFC408450 | Large Aluminum Rebar Hook with 2" gate opening



UFC401400 | Aluminum Bulb Type Carabiner with .67" gate opening



UFC401101 | Oval Steel Carabiner with .67" gate opening



UFC404450 | Small aluminum quarter turn locking carabiner with swivel load indicator



UFC404500 | Steel Swivel Snap hook with load indicator



UFC404150 | Stamped Steel Snap Hook



UFC405100 | Tie-back snap hook with 5000 lb. rated gate.



UFC408100 | Large rebar hook, stamped - 2.63" opening



DROP PREVENTION

KStrong Kaptor™ tool lanyards are designed to reduce the risk of a dropped tool injuring anyone positioned below a worker. The worker's use of a tool securely attached to a Kaptor™ tool lanyard should significantly reduce the chance of an injury from occurring to workers or others below. Tool lanyards are designed to be attached securely at one end to a worker or to a suitable structure, with the other end attached to common hand tools. KStrong offers a variety of tool lanyards and attachments whose application is determined by the weight of the tool and how the lanyard is attached to a worker or to a structure. Please watch our growing video library for more information.

Kaptor™ Drop Prevention

DL100021 | Locking Single Carabiner - 22 lbs.
ANSI Rated



DL100022 | Dual Leg Locking Single Carabiner
- 22 lbs. ANSI Rated



DA300411 | Wrist Tool Lanyard - 2 lbs.



DA300401 | Pull-On Wrist Lanyard with Buckle
- 3 lbs.



DA300201 | Small Tool/Radio Holster



DA300301 | Tape Measure Trap



DA300101 | Elastic Hard Hat Lanyard w/ Clamp
- 2 lbs.



DT700101 | Self-Adhering Tape Trap - 12 ft.
Roll



KAPTOR™

DROP PREVENTION



DROP PREVENTION

Kaptor™ Kits

DK400101 | Tool Tethering Kit - 5 lbs. Consists of DL100201 in standard pack of 3, DL100401 in standard pack of 1, DT700101 in standard pack of 1



Tool Tethering Kits (DT700101 and DL100501 plus corresponding Web Tool Tail)

DK400151(S) | Web Tool Tail, 3 lbs. S - 2.5 inches



DK400152(M) | Web Tool Tail, 3 lbs. M - 4.5 inches



DK400153(L) | Web Tool Tail, 3 lbs. L - 5.5 inches



DK400154(XL) | Web Tool Tail, 3 lbs. XL - 6.5 inches



DK400201 | Tape Measure Coil Tethering Kit - 2 lbs. Consists of DL100501 & DA300301 in standard pack



DK400301 | Tape Measure Lanyard Tethering Kit - 2 lbs. Consists of DL100401 & DA300301 in standard pack



DK400155(2XL) | Web Tool Tail, 3 lbs. 2XL - 8.5 inches



DROP PREVENTION

Kaptor™ Tool Lanyards

UDL100012 | Dual Leg - 10 lbs.



DL100021 | Locking Single Carabiner - 22 lbs. ANSI Rated



DL100022 | Dual Leg Locking Single Carabiner - 22 lbs. ANSI Rated



DL100041 | Tool Lanyard Single Carabiner with Web Loop - 22 lbs.



DL100042 | Dual Leg Tool Lanyard Single Carabiner with Web Loops - 22 lbs.



DL100701 | Hook to Loop Bungee Tool Tether - 35 lbs.



DL100711 | Hook 2 Loop Tool Tether, Heavy Duty - 80 lbs.



DL100501 | Coiled Cable Lanyard - 2 lbs.



DL100601 | Clip2Loop Coil Tether, 10 Pack



10-Pack

DL100801 | Wire Loop Tool Tail - 2 lbs. (6-Pack)



6-Pack

DL100802 | Wire Screw Gate Tool Tail - 3 lbs. (6-Pack)



6-Pack

DL100401 | Detachable Elasticated Single Screwgate Carabiner - 5 lbs.



DL100400 | Detachable Elasticated Single Screwgate Carabiner (without Loop) - 5 lbs.



DL100201 | Accessory Kit - Detachable Loops 3-pack



3-Pack

DL100611 | D-Ring with Cord Loop, Attachment Points 10-pack



10-Pack

DROP PREVENTION

Kaptor™ Tool Lanyards

DL100101 | Elastic Loop Tool Tails Ext - 15 lbs. 3-pack



3-Pack

DL100151 | Elastic Loop Tool Tails Swivel - 10 lbs. 3-pack



3-Pack

DL100301 | Web Tool Tails, 3 lbs. 6-Pack S - 2.5 inches



6-Pack

DL100302 | Web Tool Tails, 3 lbs. 6-Pack M - 4.5 inches



6-Pack

DL100303 | Web Tool Tails, 3 lbs. 6-Pack L - 5.5 inches



6-Pack

DL100304 | Web Tool Tails, 3 lbs. 6-Pack XL - 6.5 inches



6-Pack

DL100305 | Web Tool Tails, 3 lbs. 6-Pack 2XL - 8.5 inches



6-Pack

DL100351 | Web Tool Tails with Swivel, 3 lbs. 6-pack S - 2.5 inches



6-Pack

DL100352 | Web Tool Tails with Swivel, 3 lbs. 6-pack M - 4.5 inches



6-Pack

DL100353 | Web Tool Tails with Swivel, 3 lbs. 6-pack L - 5.5 inches



6-Pack

DL100354 | Web Tool Tails with Swivel, 3 lbs. 6-pack XL - 6.5 inches



6-Pack

DL100355 | Web Tool Tails with Swivel, 3 lbs. 6-pack 2XL - 8.5 inches



6-Pack

DL200301 | Tool Cinch, Medium Duty, 35 lbs.



DL200311 | Tool Cinch, Single Wing, Medium Duty, 35 lbs.



DL200101 | Tool Cinch, Dual Wing, Medium Duty, 35 lbs.



DL200201 | Tool Cinch, Dual Wing, Medium Duty, 80 lbs.





THIS. IS. A. GAME CHANGER!

Your KStrong® fall protection gear just got an upgrade like no other.

KStrong Compass™ is a cloud-based software app which relieves the user from a mountain of paper records. The unique AIR system (Automated Inspection Reminder system) reminds a user of a pending competent person inspection that is required to minimize accidents that may happen due to equipment that has not been properly inspected.



**Watch
Demo
Inspection
Video**
Scan with Camera



**Compass™
Product
Example**
Scan with Camera

Compass™ Features

Introducing KStrong Compass™, the fall protection industry's first "free at your fingertips" mobile application for fall protection equipment asset management.

Pre-Use Inspection Instructions

The mobile app provides each user vital information on inspection and periodic maintenance needs and helps in increasing the life of the equipment.

Get Tech Data & Manuals

User Instruction Manuals, Technical Data Sheets, Declarations of Conformity, Product Images, Videos, PowerPoint presentations and more are available.

Track Usage

The KStrong Compass™ user management system allows equipment to be issued to individuals, thus ensuring accountability towards the upkeep of the equipment.




Use in the Field

If you have an iOS or ANDROID phone or device, that is all you need. Simply open the camera on your phone or device and scan the QR code, Label or RFID tag that is included with every KStrong product.



Get Reminders


The unique AIR system (Automated Inspection Reminder) reminds a user of a pending competent person inspection that is required to minimize accidents due to equipment that has not been properly inspected.



ADDITIONAL PRODUCTS

Ladder Climbing System for Fixed Ladders

- Consists of a vertical anchorage line made of stainless steel wire rope installed on a ladder using appropriate mounting brackets.
- Stainless steel rope grab UFG602050 moves along with the user climbing up or down and locks them in case of fall.



UFF516000
KStrong® Ladder
Extension Davit Kit for
Fixed Ladders
*(SRL Not Included)

Model	Length	Model	Length	Model	Length	Model	Length
USCLC020	20 ft.	USCLC050	50 ft.	USCLC080	80 ft.	USCLC0130	130 ft.
USCLC030	30 ft.	USCLC060	60 ft.	USCLC090	90 ft.	USCLC0160	160 ft.
USCLC040	40 ft.	USCLC070	70 ft.	USCLC0100	100 ft.	USCLC0200	200 ft.


ADDITIONAL PRODUCTS

Ladder Rescue System

UFZ809030 | 20 ft. Rescue Ladder System

KStrong 20 ft. Rescue Ladder System has been designed for the self-rescue of a conscious user who has had a fall. The ladder kit allows the user to climb to safety with the added benefit of using a backup rope attached to the user which reduces the chance of a secondary fall.

- Rescue ladder kit with 20 ft. ladder and 6 ft. concrete embed strap with loop at both ends
- Equipped with kernmantle rope, rope grab and carabiners
- Simple and easy to deploy Fast Drop System using an existing or a temporary anchor point
- The added rope grab system allows the user to climb efficiently while safely reducing the risk of a secondary fall.
- Optimized for fast and easy rigging
- Only requires one person to operate
- 23 ft. of Rope
- Comes with convenient backpack style bag
- Total kit weight 8.84 lbs.



BAGS



C



B



E

D



A

Model	Description
A UFZ200101	Kit Bag - Small
B UFBBGF187	All Purpose Durable Equipment Bag (12.5"x16"x24")
C UFBBGKS07	Dry Backpack with Webbing Side and Rope Pocket and an In-Structure Pockets (27"x10"x10"), Red Bottom with Black Top
D UFZ810010	KStrong® 7 ft. Megapod™ Storage Bag
E UFZ810020	KStrong® 10 ft. Megapod™ Storage Bag

QUICK INDEX

Part Number	Page No.	Part Number	Page No.	Part Number	Page No.	Part Number	Page No.	Part Number	Page No.	Part Number	Page No.
AFZ830025	18	UFA30090	46	UFH10211P	24	UFL205201(03)	44	UFS390006	6	USCLC080	68
AFZ830050	18	UFA30110	47	UFH10231G	23	UFL205211	44	UFS390006D	7	USCLC090	68
AFZ830100	18	UFA30111	47	UFH10231P	23	UFL205215	44	UFS394006	6	UFZ910001	32
DA300101	63	UFA30115	47	UFH10241G	24	UFL205251	44	UFS394006D	7	UFZ910005	32
DA300201	63	UFA30130	47	UFH10251G	23	UFL205401	44	UFS396006	6	UFZ920001	32
DA300301	63	UFA30201	51	UFH10251P	23	UFL206101	39	UFS396006D	7	UFZ920011	32
DA300401	63	UFA30201S	51	UFH10252P	24	UFL206111	39	UFS480020	9	USCLC0100	68
DA300411	63	UFA30211	51	UFH10261G	24	UFL206121	39	UFS480020L	13	USCLC0130	68
DK400101	64	UFA30301	46	UFH10332G	27	UFL206131	39	UFS480025L	13	USCLC0160	68
DK400151(S)	64	UFA30311	46	UFH10332P	27	UFL206214	39	UFS480030	9	USCLC020	68
DK400152(M)	64	UFA30311(W)	46	UFH10341G	27	UFL206234	39	UFS480050	9	USCLC0200	68
DK400153(L)	64	UFA30401	52	UFH10700P	28	UFR100025	50	UFS480050L	13	USCLC030	68
DK400154(XL)	64	UFA30420	54	UFH10701P	28	UFR100050	50	UFS5700100	18	USCLC040	68
DK400155(2XL)	64	UFA30430	55	UFH10710P	29	UFR100100	50	UFS570030	18	USCLC050	68
DK400201	64	UFA30430(SW)	55	UFH10711P	29	UFR100200	50	UFS570060	18	USCLC060	68
DK400301	64	UFA30501	48	UFH10731P	29	UFR100500	50	UFT510007	58	USCLC070	68
DL100021	63, 65	UFA30501(04)	48	UFH10732P	29	UFR200025	50	UFT510007BK	56	USCLC080	68
DL100022	63, 65	UFA40010	53	UFH10801GQ	27	UFR200050	50	UFT510007DK	56	USCLC090	68
DL100041	65	UFA40012	53	UFH10802Q	28	UFR200100	50	UFT510007RK	56	UFR210100	50
DL100042	65	UFA40110	52	UFH10811GQ	28	UFR200200	50	UFT510010	58	UFR210200	50
DL100101	66	UFA55207E(12)	51	UFH152011GQ	26	UFR200500	50	UFT510010B	58	UFS310010	8
DL100151	66	UFA55207E(18)	51	UFH15201GQ	25	UFR210025	50	UFT510010B2	58	UFS310018L	12
DL100201	65	UFA55207SW(12)	51	UFH15201Q	26	UFR210050	50	UFT510010BK	57	UFS310020	8
DL100301	66	UFA55207SW(18)	51	UFH15203GQ	25	UFR210100	50	UFT510010DK	57	UFS310020(SS)	8
DL100302	66	UFA55370	51	UFH15231GQ	25	UFR210200	50	UFT510010RK	57	UFS310025(SS)	8
DL100303	66	UFA710003	48	UFH15231Q	26	UFS310010	8	UFT530060	58	UFS310025L	12
DL100304	66	UFA710004	48	UFH16001GP	22	UFS310018L	12	UFT530060SS	58	UFS310030	8
DL100305	66	UFA710006	48	UFH16101G	20	UFS310020	8	UFT531130	58	UFS310050	8
DL100351	66	UFA710103	48	UFH16201GP(BL)	21	UFS310020(SS)	8	UFT551011BK	60	UFS310050(SS)	8
DL100352	66	UFA710104	48	UFH16201GP	21	UFS310025(SS)	8	UFT551011DK	60	UFS310050L	12
DL100353	66	UFA710106	48	UFH16231GP	22	UFS310025L	12	UFT551021BK	60	UFS310060R	58
DL100354	66	UFB101025(L-XL)	49	UFH19902GQF	30	UFS310030	8	UFT551021DK	60	UFS310080L	12
DL100355	66	UFB101050(L-XL)	49	UFH19902PF	30	UFS310050	8	UFT551031BK	60	UFS310090	8
DL100400	65	UFB102025(M-L)	49	UFH19902QF	30	UFS310050(SS)	8	UFT551031DK	60	UFS310100R	58
DL100401	65	UFB103050(M-L)	49	UFH19903PQF	30	UFS310050L	12	UFT551080	59	UFS310130	9
DL100501	64, 65	UFB201050(L-XL)	49	UFH90131G	31	UFS310060R	58	UFT551080DK	59	UFS310150	9
DL100601	65	UFB501125(L-XL)	49	UFH90141G	31	UFS310080L	12	UFT555001	61	UFS310206L	14
DL100611	65	UFB6GF187	70	UFH90341G	31	UFS310090	8	UFT555002	61	UFS310206LD	15
DL100701	65	UFB6GKS07	70	UFH90471G	31	UFS310100R	58	UFT555101	61	UFS314006L	14
DL100711	65	UFC401100	62	UFK10010	45	UFS310130	9	UFT555201	61	UFS314006LD	15
DL100801	65	UFC401101	62	UFK10015	45	UFS310150	9	UFT556001	61	UFS316106L	14
DL100802	65	UFC401110	62	UFK10025	45	UFS310206L	14	UFT556101	61	UFS316106LD	15
DL200101	66	UFC401400	62	UFK20010	45	UFS310206LD	15	UFT556201	61	UFS319006L	14
DL200201	66	UFC404150	62	UFK20015	45	UFS314006L	14	UFX903010	58	UFS319006LD	14
DL200301	66	UFC404450	62	UFK20025	45	UFS314006LD	15	UFX903050	50	UFS330008	8
DL200311	66	UFC404500	62	UFK20410	45	UFS316106L	14	UFXR4001	53	UFS350002	4
DT700101	63, 64	UFC405100	62	UFK20510	45	UFS316106LD	15	UFZ200101	33, 70	UFS350002D	5
MPOD-ASS-005	58	UFC408100	62	UFK23110	45	UFS319006L	14	UFZ800100	34	UFS350011	10
MPOD-ASS-008	58	UFC408120	62	UFL201101	40	UFS319006LD	14	UFZ800200	33	UFS350025	10
TRIP-ASS-031	58	UFC408450	62	UFL201101(03)	40	UFS330008	8	UFZ800501	34	UFS350206L	16
UDL100012	65	UFC409151	5	UFL201101(04)	40	UFS350002	4	UFZ801001	33	UFS350206LD	17
UFA000WT	51	UFCHLLRING	53	UFL201111	40	UFS350002D	5	UFZ801011	33	UFS351102	4
UFA20003	48	UFF511000	68	UFL201121	40	UFS350011	10	UFZ801012	33	UFS351102D	5
UFA20004	48	UFF511500	68	UFL201121(04)	40	UFS350025	10	UFZ802001	34	UFS354002	4
UFA20006	48	UFF512000	68	UFL201131	40	UFS350206L	16	UFZ809030	69	UFS354002D	5
UFA20010	48	UFF513002	68	UFL201301	41	UFS350206LD	17	UFZ810010	58, 70	UFS354006L	16
UFA20016	48	UFF513100	68	UFL201331	41	UFS351102	4	UFZ810020	58, 70	UFS354006LD	17
UFA20024	48	UFF514000	68	UFL201402	41	UFS351102D	5	UFZ840010	32	UFS356002	4
UFA20030	48	UFF516000	68	UFL201421	40	UFS354002	4	UFZ840020	32	UFS356002D	5
UFA20504	46	UFG601010	50	UFL201422	41	UFS354002D	5	UFZ850100	33	UFS356106L	16
UFA20506	46	UFG602050	68	UFL201601	42	UFS354006L	16	UFZ910001	32	UFS356106LD	17
UFA21004	46	UFG602100	50	UFL201611	42	UFS354006LD	17	UFZ910005	32	UFS359002	4
UFA21006	46	UFG611010	50	UFL201621	42	UFS356002	4	UFZ920001	32	UFS359002D	5
UFA30001	50	UFG611020	50	UFL201622	42	UFS356002D	5	UFZ920011	32	UFS359206	11
UFA30005	51	UFH10101G	20	UFL201701	43	UFS356106L	16	USCLC0100	68	UFS359206D	11
UFA30010	50	UFH10101P	20	UFL201721	43	UFS356106LD	17	USCLC0130	68	UFS359506	11
UFA30015	50	UFH10102G	21	UFL201740	43	UFS359002	4	USCLC0160	68	UFS359506AR	11
UFA30015N	50	UFH10102P	21	UFL201750	43	UFS359002D	5	USCLC020	68	UFS359506D	11
UFA30020	50	UFH10131G	20	UFL204101	38	UFS359206	11	USCLC0200	68	UFS359506S	11
UFA30021	50	UFH10131P	20	UFL204111	38	UFS359206D	11	USCLC030	68	UFS390006	6
UFA30030	51	UFH10201G	22	UFL204121	38	UFS359506	11	USCLC040	68	UFS390006D	7
UFA30050	46	UFH10201GQ	22	UFL204131	38	UFS359506AR	11	USCLC050	68	UFS394006	6
UFA30070	51	UFH10201P	22	UFL205201	44	UFS359506D	11	USCLC060	68	UFS394006D	7
UFA30080	46	UFH10211G	24	UFL205201(02)	44	UFS359506S	11	USCLC070	68	UFS396006	6



KStrong Inc.

Address:

150 N. Radnor Chester Road Suite F200
Radnor, Pennsylvania 19087

Email: contact@kstrong.com

Hours of Operation:

8am - 8pm EST

Phone/Fax:

1-833-KSTRONG

Website:

www.KStrong.com

Last Revision Date: January 5, 2024

Proud Members of:



AMERICAN SOCIETY OF
SAFETY PROFESSIONALS

